



## HI-PRODUCTION SPRAY BUFF

Z11

# TECHNICAL DATA SHEET

### GENERAL INFORMATION

HI-PRODUCTION SPRAY-BUFF has been formulated for use with 175-2500 rpm floor machines and burnishers. Its unique oligomeric formulation adds toughness and gloss never before possible. Its cleaning action is powerful and fast working with good wetting properties. HI-PRODUCTION SPRAY-BUFF can be buffed to a high luster thus restoring the floor to its original high gloss.

### DIRECTIONS

1. HI-PRODUCTION SPRAY-BUFF is ready-to-use and should not be diluted.
2. Dust mop floor to remove grit and dust.
3. Damp mop floor with Cello's BESTYET! or LOW FOAM.
4. Use a 175-350 rpm floor machine equipped with a pad holder and a spray buff pad. HI-PRODUCTION may also be used with a high speed burnisher (1000-2500 rpms) and the appropriate burnishing pad. Red buffing pads should never be used on burnishers 1500 rpms or higher.
5. Mist the material on the floor, using a spray bottle, and buff immediately until dry.
6. You may repeat this operation daily or as traffic conditions require.
7. For best results make sure the floor has a sufficient foundation of a quality Cello acrylic floor finish. If finish coats are worn, scrub and apply additional coats of finish.
8. Allow finish to dry 24 hours before resuming spray buff operations.

**CAUTION:** Eye irritant. Avoid contact with eyes. KEEP OUT OF REACH OF CHILDREN.

**FIRST AID:** In the event of eye contact, flush eyes with large amounts of clear water for at least 15 minutes. If irritation persists, seek medical attention.

### SPECIFICATIONS

**APPEARANCE:** Purple liquid

**FRAGRANCE:** Light floral

**VISCOSITY:** Same as water

**FLASH POINT:** None

**SOLUBILITY:** Ready to Use

**RESISTANCE TO BLACK HEEL MARKS:** Excellent

**DILUTION:** Ready-to-use

**BUFFABILITY/BURNISHABILITY:** Excellent

**pH:** 8.0 - 9.0

**FREEZE/THAW STABILITY:** Stable (Minimum 3 cycles)

**SHELF LIFE:** Minimum 1 year from manufacturer date of sale

KEEP FROM FREEZING

### Cello Professional Products

1354 Old Post Road  
Havre de Grace, MD 21078  
Toll Free: 800-638-4850  
www.cello-online.com



CLASSIFIED BY  
UNDERWRITERS LABORATORIES INC.®  
AS TO SLIP RESISTANCE ONLY. 160S.

Z11 0205